App F IX 4

Previous References

CM 10-51 (9,10)

1955 56
(C M)

File No 27-55
Serial Nos 1, 2

Later References

MYSORE GOVERNMENT SECRETARIAT

Serial Nos Two

P.13/E

Part B for June 1955

SUBJECT

Revised estimate with tar (seal coating) of Temple Road starting from the princess Road, Vanivilas Mohalla, Mysore

WD 0355 —GPB—25 000—2 7 53

To

The Municipal Commissioner, Mysore city
The chief Engineer ii Mysore, Blore
The controller, S A D

G O No L 28TH-76/CM 27-52-2 dated 14/6/55

— Sanctions —

Sanction 23/7/55

7402/M

From

The M1 Commr Mysore City-Mily-

C2 PR 227/C772/52-53—
DD 6/55—

Requests sanction to the revised estimate for Rs 13,441/- for surface treatment-cart— macadam-, the — temple road from princess Road — to Ashramp Road VV puram extension—

The M1 Commr has stated that a copy of the estimate has been sent to the Chief Engineer for scrutiny and transmission to this Office direct

2) The receipt of the estimate from the Chief Engineer may be awaited
9S
31/May/55

3) Reminder to the CE
12/12

4) Letter with a draft letter for approval
9S
16/2 20/2

5) Issued
27/2

6) Letters with the above since replied received
9S
28/2

(Bad returned)

1402, 8719

Surface treatment with Tar (Seal Coating) of Temple Road Starting from the Princess Road Vanivilas Mohalla Mysore

From

The Chief Engineer of Mysore Bangalore

12127/R B 54-55 dt 23/2 2 55

Sanction be accorded for the above work duly scrutinised for Rs 13450/-

The revised estimate for Surface treatment with Tar (Seal Coating) of Temple Road Starting from the Princess Road, Vanivilas Mohalla Mysore as scrutinised by the Chief Engineer of Mysore for Rs 13450/- may be sanctioned

Revised Estimate

(8) 21/3

Secy (Dev & Sch) 1/3 21/3

17139

(9) may be rcd 22 3 55

Minister (Dev & Sch)

10) Rs 17/5/55

Govt

6765

19 MAY 955

GOVERNMENT OF MYSORE

11) Submitted with a draft for approval

Issue

Dt 20/5 Res 3/6

8713/11

Ne Municipal comme Keyboard ccg
Municipality (Dec Keyboard)

" C P

" C S A →

L 2874 - C/cm 27 - 55 - 2

14 6 78

Sandwoids

28/6 Ne

No. Cn PR 227 FC 772/54-55
Encls two (Rabby & Estimate cds)

CITY MUNICIPAL COUNCIL,
P B No 17
Mysore, Dated 6th January 55.

FROM

THE MUNICIPAL COMMISSIONER
City Municipal Council
MYSORE

To

The Secretary to Government,
Education & L S G Departments,
Bangalore-1
(Through the President)

EDUCATION SECRETARY 10 JAN 955

Sir,

Cn 24 55

Sub - Surface treatment with tar (seal coating) of Temple Road starting from the Princess Road, Vanivilas Mohalla, Mysore

Ref - G O No L 3105-7/C M 10-51-10 dated 5-7-51 sanctioning the estimate for Rs 9,300/-
(ii) G O No L 12708-10/CM 10-53-26 dated 30-12-53 sanctioning the estimate for Rs 10000/- as against Rs 9,300/- for reasons stated therein

By the time the revised estimate referred to was put on hand, the surface of the road had deteriorated considerably and it was felt necessary to semigrout the road instead of merely seal coating Semigrouting was done with the materials provided for in the sanctioned estimate, but, while doing so, the quantity of maxphalt used had to be increased to 60 lbs per sq. as against 50 lbs provided in the estimate Further while in the sanctioned estimate the cost of maxphalt was taken at Rs 15-8-0 per cwt , when the work was taken up, the ruling price was Rs 20/- per cwt including railway freight For this main and other reasons mentioned in the comparative statement for revised estimates (copy enclosed), the estimate had to be revised to Rs 13,441/-, the net excess over the sanctioned estimate being Rs 3,441/- This revised estimate as scrutinized by the Auditor was placed before the Works Committee and the Council on 14-12-1954 and 29-12-54 respectively, and the Council were pleased to accord sanction to the revised estimate vide copy of the resolution enclosed

p t o

In these circumstances, I request you kindly to obtain orders of Government sanctioning the revised estimate for Rs.13,441/-. An estimate (copy) is sent to the Chief Engineer also for scrutiny and transmission to you direct

Yours faithfully,

(N. Lakshman Rau)
Municipal Commissioner.

Forwarded with compliments.

(K Puttaswamy)
President.

HLN2/-

Proceedings of the Ordinary Meeting of the Mysore City Municipal Council held on the Municipal Offices on 29-12-1954 at 4 p m

====

1101 Works Committee Res No 813/14-12-1954 recommending sanction to the revised estimate for Rs 13,441/- for surface treatment with maxphalt, the Temple road from Princes Road to Adipampa road, V V Puram extension

Sanctioned

Sd K Puttaswamy,
President

"copy"

(N Lakshman Rau)
Municipal Commissioner

6/1/55

M A M 69
L B 11

[Rule 24

Hyderabad MUNICIPALITY
PUBLIC WORKS DEPARTMENT

Detailed Estimate for Surface treatment - Dirt Road from Marshall to Temple Road ~~to Adi pampa~~ from Tonnecss Road to Adi pampa Road, Devaraja Mohalla

Work

Detail of work	Number	Measurement: Length	Breadth or thickness	Height or depth	Contents	Total quantity or each description of work	Rate	Cost of	Remarks
Collecting & stacking ½" & ¾" Granite chips as per actuals						225 cyd	Rs 13 - -	Rs 2925 - -	
1 Brushing & Surface & Removing Rubbish &c									
Adipampa Rd to Temple Rd	1	32	15'	-	480				
Temple Rd - " - Kalidasa Road	1	30	10	-	300				
4th Cross Road	1	9	$\frac{30+16}{2}$	-	207				
3rd Cross Road	1	23	$\frac{21+26}{2}$	-	805				
2nd " "	1	18	$\frac{39+7}{2}$	-	594				
1 Cross Road	1	32	$\frac{13+15}{2}$	-	608				
	1	32	$\frac{24+12}{2}$	-	576				
	1	16	$\frac{55+27}{2}$	-	656				
	1	8	$\frac{38+26}{2}$	-	248				
					4474	4474 sqft	- 4 -	11 - -	
3 Spreading & hand packing chips					225 cyd	22594	- 5 -	70 - -	
4 Heating & spraying over the surface with Tar & metal & agreeable chips									
Tonnecss Road to Temple Road	1	740	30	-	2220				
	1	45	$\frac{70+46}{2}$	-	2150				
	1	150	24	-	3600				
Venkatachalam Ole	1	$\frac{471+94}{2}$	60	-	16950				
	1	1039	30	-	31170				
Temple Ole	1	100	100	-	10000				
					85480	85480	- 1 6	775 - -	
-do- over the area						4474	- 8 -	23 -	
5 Consolidation by 8 T R						86080 sq ft			
6 Collecting & Spreading by cooly & Barrow & metal heavy loading & unloading charges (Area as per item 3 & 4)					86080 3902	89982 sq ft 3461 sq yd	1 8 -	192 - -	
					89982				

5

Detail of work	Number	Measurement: Length	Measurement: Breadth or thickness	Measurement: Height or depth	Contents	Total quantity of each description of work	Rate: Rs	Rate: a	Rate: p	Cost of: Rs	Cost of: a	Cost of: p
7) Spreading & forming Sand					128	128 cyds	—	4	—	32	—	—
8) Cost of Herbhalte at 60 lbs per Sq ft		86080 × 60				5164800						
		5164800				5164800						
		3902 × 20				78040						
		78040				5242840 or 120 barrels	23	3	3	8785	—	—
9 Miscellaneous and unforeseen			—	2	5	—				34	—	—
						Total Rs				13641	1	—

A. Rawlley
Municipal Engineer
Hisar

C. F No 16]

GOVERNMENT OF MYSORE

No 12127 /PB-54-55
Encls 5

OFFICE OF Chief Engineer (PWD)
Bangalore

Date 23rd Feb 55

To

The Secretary to Government

Education & L S G Departments, BANGALORE

Sir

Subject:- Surface treatment with Tar (Seal coating) of temple road starting from the Princess Road, Vanivilas Mohalla Mysore-

---

As desired by the Municipal Commissioner, City Municipality Mysore in his letter No C2 P R 227-C772/54-55 da ed 6-1-55 I write to enclose herewith the estimate for the above work duly scrutinised for Rs 13 450/- only

Yours faithfully

(L C Muniswamy Reddy)
DEPUTY CHIEF ENGINEER

IS/22-2-55

7

Proceedings of the Ordinary Meeting of the Mysore City Municipal Council held on the Municipal Offices on 29-12-1954 at 4 p.m

1101 Works Committee Res No 813/14-12-1954 recommending sanction to the revised estimate for Rs 13,441/- for surface treatment with maxphalt the Temple road from Princes Road to Adipampa road, V.V Puram extension

Sanctioned

Sd K Puttaswamy,
President

"copy"

(N Lakshmi Rau)
Municipal Commissioner

M G S App F G 3]

MYSORE GOVERNMENT
SECRETARIAT

(Continuation sheet draft form)

Cm 24 55 - 2

Proceedings of the Govt of Mysore
Read -

Go no L 3105-7/C M 10-51-10
Dt 5 7 51 sanctioning the
estimate for Rs 9 300/- for
surface treatment - carb tarring
(Seal Coating) Temple Road Sterling
from Princess Road up to the
Junction of Adampa Road in
Vanivilas Mohalla Mysore City -

2) Go no L-12708-10/C.M.
10-53-26 Dt 30 12 53 approving
the proposal of the Dy Commr
Mysore City - Mcy to pay
Rs 13/- per C yard for granite -
Chips and also sanctioning
the estimate - for Rs 10000/ as
against - Rs 9 300/- sanctioned
in Go order 5 7 51 referred
to above

3) Letter no C2 PR 227/C. 772
/54-55 Dt 6 1 55 from the Dy Commr
Mysore City Mcy forwarding for

MD 04860—GPB—40 000—29 1 54

Estimate -

Sanction a revised for Rs 13441/-
for Surface Surface treatment work
on Red Belt, Ste Temple Road from
Princess Road to Adyar pumping Road
V V. Puram Extension Mysore city
and stating that it was felt
necessary to semi grout the Road
metaled of Gravel Seal Coating,
as resolved by the MCC at their
meeting held on 27 12 54
c) Letter no 12127/R03 54-55
Dt 23.2.55 from the Dy Chief Engineer
forwarding the Estimate for the
above work duly sanctioned
for Rs 13,450/- only

Ordered 2874-76 Dt
14 6 55

The revised estimate for
Surface treatment work Red Belt -
Ste Temple Road from Princess Road
to Adyarpumping Road V V Puram
Extension Mysore, as sanctioned

M G S App F G 3]

MYSORE GOVERNMENT
SECRETARIAT

(*Continuation sheet draft form*)

By the Deputy Chief Engineer
for Rs 13450/- as Sanctioned

Dy Sy Offrs
Estt Clks Accts

The Chief Engineer of Mysore

Spare 2 M--

Mes

WD 04860—GPB—40 000—22 1 4

Read di-
Government Order No L 3105-7/ dated 10-51-19 and 5-
sanctioning the estimate for Rs 9,300/- for the surface tr
tarring (seal coating) Temple Road, starting from Princes
the junction of Adipampa Road in Vanivilas Mohalla, Mysore

2 Government Order No L 12703-10/C. 10-53-26 dated 3-4-53,
approving the proposal of the Municipal Commissioner, Mysore
Municipality to pay Rs 13/- per cyd for granite chips and al
sanctioning the estimate for Rs 10,000/- for the above work as a first
Rs 9,300/- sanctioned in Government order dated 5-7-1951, referred
to above

3 Letter No C2 I R 227/ C 772/54-55 dated 6-1-1955, from
the Municipal Commissioner, Mysore City Municipality, forwarding for
sanction a revised estimate for Rs 13,441/- for surface treatment with
maxphalt, the Temple Road from Princess Road to Adipampa Road, V P
Puram extension, Mysore City, and stating that it was felt necessary
to semigrout the road instead of screel, seal coating as resolved by
the Municipal Council at their meeting held on 27-12-1954

4 Letter No 12127/H B 54-55 dated 23/24-2-55, from the Deputy
Chief Engineer, forwarding the estimate for the above work duly
scrutinised for Rs 13,450/- only

***

ORDER No L 2874-76/CM 21-55-2

DATED BANGALORE The 14 JUNE 1955

The revised estimate for surface treatment with maxphalt
the Temple Road from Princess Road to Adipampa Road, V P Puram Ex-
tension, Mysore, as scrutinised by the Deputy Chief Engineer, for
Rs 13,450/- (Rupees thirteen thousand, four hundred and fifty only)
is sanctioned

(V Hanumanthappa)
for Secretary to Government,
Education & L S G Departments

TO
The Municipal Commissioner, Mysore City Municipality, thro' the
President, with the estimate
The Chief Engineer of Mysore, Bangalore
The Controller, State Accounts Department, Bangalore

EC 6/11-6

notes	5
correct done	15